




GSM/GPRS Alarm System PH-X2

Ver 1201



“People is center, technology is first”

1.	5
2.	6
3.	6
4.	7
4.1.	8
4.2.	SD	8
4.3.	/ SMS, MMS,	9
4.4.	MMS	10
4.5.	MMS	11
4.6.	/ MMS.....	11
4.7.	11
4.8.	12
4.9.	12
4.10.	MMS	12
4.11.	Email MMS	12
4.12.	12
4.13.	12
4.14.	13
4.15.	SD	14

5.14

6.14

GSM Quad band GSM/GPRS

GSM850Mhz/GSM900Mhz/DCS1800Mhz/PCS1900Mhz

: JPEG

: 300.000pixels

: 320x240 640x480

6

, 2

: 180ms

SD card: 2GB,

: 135,000 (320x240),

: 35,000 (640x480)

: English, Simple Chinese, , Spanish

3 SMS

3 MMS

3

3 email

10

MMS

(24 ID address)

(16 ID address)

2.

: GPRS MMS alarm, GSM SMS alarm,

: 0.3

: 320*240 , 640*480

SD : 2GB

: 8 (GSM

)

: 0.8W

: 110DB

: DC8.4V/800mA (lithium battery)


: 10

: -25 +65

: 95%

: 133mm (L) 71mm(W) 66mm (H)

3.




:

1 - « ».

2 -

3 - . - « », - « »


4 - .




2 SET

3 /

1-






:

"+".

"-"



4. SD

5. SIM

4 .

4.1.

- 1. , ,
- 2. SET, .
- 3. SET ,
- 4. « - », -
- 5. . :
- 6. 1. .
- 7. 2. Email
- 8. 3. : 123456.
- 9. 4. MMS : 3 .
- 10. 5. : English
- 11. 6. SD PIC001*.JPG
- 12. 7. MMS
- 13. 8. !
- 14. 9. « ».

4.2

SD .
FAT

4.3.

/
SMS,MMS

3

SMS , 3

MMS 3

SMS,

:

a.

:

“SET”

« - »

“1+”

+#”

:

“1” -

“#” -

:

SMS

1,2,3

MMS : 4,5,6

: 7,8,9

:

“1”

SMS,

“4” -

MMS,

“7” -

.

2 “ - ”,

SMS, MMS,

,

«

»+#”,

« 1+#» -

SMS

.

b. SMS

SMS :
 «6 + DD + + ».
 123456.

«6 + DD + »

c. :

,
 , SET , :
 , , , :
 « + + #»,
 « - »»,

4.4 MMS

:

« + GG+ HOMEPAGE+ IP ADRESS+ APN+ IP PORT+ USER NAME+ PASSWORD»

: HOMEPAGE,IP ADDRESS,APN
 ! IP PORT,USER NAME,PASSWORD
 , GSM .
 “ ”
 ,

	Operators offered	Remark
HOMEPAGE <input type="checkbox"/> MMS MESSAGE SERVE <input type="checkbox"/>		
IP ADDRESS OF MMS PROXY		
ACCESS POINT NAME(APN)		
IP PORT OF MMS PROXY		Optional
USER NAME(USER ID)		Optional
PASSWORD		Optional

	Operators offered	remark
HOMEPAGE <input type="checkbox"/> MMS MESSAGE SERVE <input type="checkbox"/>	http://mms.kyivstar.net	
IP ADDRESS OF MMS PROXY	010.010.010.010	
ACCESS POINT NAME (APN)	mms.kyivstar.net	

IP PORT OF MMS PROXY	8080	
USER NAME (USER ID)		Optional
PASSWORD		Optional

SMS
123456

MMS
:

123456GG http://mms.kyivstar.net,010.010.010.010,mms.kyivstar.net,8080

MMS setting items	Operator offered	Remark
HOME PAGE MMS MESSAGE SERVE	http://mms/	
IP ADDRESS OF MMS PROXY	192.168.010.010	
ACCESS POINT NAME(APN)	mms	
IP PORT OF MMS PROXY	8080	
USER NAME(USER ID)		
PASSWORD		

SMS :

123456GGhttp://mms/,192.168.010.010,mms,8080

4.5

MMS:

“ + GG”

4.6 .

/

MMS

MMS

“ + AA+ xx”

MMS

“ + AD+ xx”

: xx

01 to 10(

2

)

4.7.

MMS

« + AA» « + AD».

4.8

“ + LG+ x”

: 1-English, 2 -Simplified Chinese, 3- , 4-Spanish

“ +LG”

4.10 MMS :

« +PIC +x»

:x 1 6

: 4 MMS, SMS :

“123456+PIC+4”

4.11 Email MMS

“ ” + EMAIL+ x + Email address”

Note: x 1 3

4.12

« +DD+0+6 »

4.13

« + DM +XX+ »

Note: XX – 01-11,
01-10 , 11 – .

SMS

SMS.

MMS.

4.14

4.14.1. SMS

: « + A1»
 : « + A2»
 : « + W1»
 : « + W2»
 : « + M1»
 : « + M2»
 MMS: « + MMS + x»
 : x – 1 6, and 1-3
 MMS, 4-6 email.

4.14.2.

1. SIM GSM
2. (6-)
- 3.

"1" -
 "2" -
 "3" -
 "4" -
 "*" - ()
 "9" -
 "0" -
 " " " "
 "#" - MMS.
 " ",
 MS

MMS

4.15

SD card

SD

-

: PICxxxxy.JPG

: xxxx -

0000 - 9999.

y -

1 6,

- 6.

(7)

5.

1.

!!!

2.

3.

/

SIM

4.

,

5.

25

6.

,

7.

,

8.

SIM

(GSM

,

. .)

9.

SMS.

6.

/
, «LEARN» .
-
!
6

1).

:
10 ,
, 2, - , 10. , 1,
16 .

2).

, ,

3).

, ,

5.

10 ,
,

Product Name		Wireless code A0□ A7□ 1□ 8□	D0 □ 13□	D1 □ 12□	D2(11)	D3(10)
Main panel		Identification number from right to left A0□ A7	no	no	no	no
Product Name		Wireless code A0□ A7□ 1□ 8□	D0 □ 13□	D1 □ 12□	D2(11)	D3(10)
Remote controller		A0□ A7 match	no	no	no	no
PIR sensor, Door sensor, Electric beams	Zone 01	along with the main panel	1	0	1	0
	Zone 02		0	1	1	0
	Zone 03		1	1	1	0
	Zone 04		1	0	0	1
	Zone 05		0	1	0	1
	Zone 06		1	1	0	1
	Zone 07		0	0	1	1
	Zone 08		1	0	1	1
	Zone 09		0	1	1	1
	Zone 10		1	1	1	1